

# A Quick Introduction to iNEXT via Examples

T. C. Hsieh, K. H. Ma, and Anne Chao

---

Latest version 3.0.0 (July, 2022)

---

**Latest Updates in July 2022:** (1) We have modified (in the main function `iNEXT`) the bootstrap method used to obtain confidence intervals for the coverage-based rarefaction and extrapolation curves. We have expanded the `iNEXT` output (`$iNextEst`) to include two lists (`$size_based` and `$coverage_based`). (2) In the function `estimated`, for a given coverage value, we have refined our algorithm to find the corresponding sample size (not necessarily restricted to integers) to obtain more accurate diversity estimates. (3) We have changed some column names in the output in order to conform to our forthcoming iNEXT series (`iNEXT.3D`, `iNEXT.4steps`, `iNEXT.link`). Please download the latest version of `iNEXT` available from [CRAN](#) or from Anne Chao's [iNEXT\\_github](#), or use the latest version of iNEXT Online available from Shiny [iNEXT-Online](#).

`iNEXT` (iNterpolation and EXTrapolation) is an R package modified from the original version which was supplied in the Supplement of Chao et al. (2014). In the latest updated version, we have added more user-friendly features, improved some algorithms, and refined the graphic displays. In this document, we provide a quick introduction demonstrating how to run `iNEXT`. Detailed information about `iNEXT` functions is provided in the iNEXT Manual, also available in [CRAN](#). See Chao & Jost (2012), Colwell et al. (2012) and Chao et al. (2014) for methodologies. A short review of the theoretical background and a brief description of methods are included in an application paper by Hsieh, Ma & Chao (2016). An online version of [iNEXT-online](#) is also available for users without an R background.

`iNEXT` focuses on three measures of Hill numbers of order  $q$ : species richness ( $q = 0$ ), Shannon diversity ( $q = 1$ , the exponential of Shannon entropy) and Simpson diversity ( $q = 2$ , the inverse of Simpson concentration). For each diversity measure, `iNEXT` uses the observed sample of abundance or incidence data (called the “reference sample”) to compute diversity estimates and the associated 95% confidence intervals for the following two types of rarefaction and extrapolation (R/E):

1. Sample-size-based (or size-based) R/E sampling curves: `iNEXT` computes diversity estimates for rarefied and extrapolated samples up to an appropriate size. This type of sampling curve plots the diversity estimates with respect to sample size.
2. Coverage-based R/E sampling curves: `iNEXT` computes diversity estimates for rarefied and extrapolated samples based on a standardized level of sample completeness (as measured by sample coverage) up to an appropriate coverage value. This type of sampling curve plots the diversity estimates with respect to sample coverage.

`iNEXT` also plots the above two types of sampling curves and a sample completeness curve (which depicts how sample coverage varies with sample size). The sample completeness curve provides a bridge between the size- and coverage-based R/E sampling curves.

## HOW TO CITE iNEXT

---

If you publish your work based on the results from the `iNEXT` package, you should make references to the following methodology paper (Chao et al. 2014) and the application paper (Hsieh, Ma & Chao, 2016):

- Chao, A., Gotelli, N.J., Hsieh, T.C., Sander, E.L., Ma, K.H., Colwell, R.K. & Ellison, A.M. (2014) Rarefaction and extrapolation with Hill numbers: a framework for sampling and estimation in species diversity studies. *Ecological Monographs*, 84, 45–67.

- Hsieh, T.C., Ma, K.H. & Chao, A. (2016) iNEXT: An R package for interpolation and extrapolation of species diversity (Hill numbers). *Methods in Ecology and Evolution*, 7, 1451-1456.

## SOFTWARE NEEDED TO RUN iNEXT IN R

---

- Required: [R](#)
- Suggested: [RStudio IDE](#)

## HOW TO RUN iNEXT:

---

The `iNEXT` package is available from [CRAN](#) and can be downloaded with a standard R installation procedure or can be downloaded from Anne Chao's [iNEXT\\_github](#) using the following commands. For a first-time installation, an additional visualization extension package (`ggplot2`) must be installed and loaded.

```
## install iNEXT package from CRAN
install.packages("iNEXT")
## install the latest version from github
install.packages('devtools')
library(devtools)
install_github('AnneChao/iNEXT')
## import packages
library(iNEXT)
library(ggplot2)
```

## MAIN FUNCTION: iNEXT()

---

We first describe the main function `iNEXT()` with default arguments:

```
iNEXT(x, q=0, datatype="abundance", size=NULL, endpoint=NULL, knots=40, se=TRUE, conf=0.95,
      nboot=50)
```

The arguments of this function are briefly described below, and will be explained in more details by illustrative examples in later text. This main function computes diversity estimates of order  $q$ , the sample coverage estimates and related statistics for  $K$  (if `knots = K`) evenly-spaced knots (sample sizes) between size 1 and the `endpoint`, where the `endpoint` is described below. Each knot represents a particular sample size for which diversity estimates will be calculated. By default, `endpoint = double the reference sample size` (total sample size for abundance data; total sampling units for incidence data). For an example, if `endpoint = 10`, `knots = 4`, diversity estimates will be computed for a sequence of samples with sizes (1, 4, 7, 10). In a later real-data example, we have `endpoint = 336`, `knots = 40`; diversity estimates will be computed for a sequence of samples with sizes (1, 10, 19, 28, ..., 318, 327, 336).

Argument	Description
<code>x</code>	a matrix, data.frame, lists of species abundances, or lists of incidence frequencies (see data format/information below).
<code>q</code>	a number or vector specifying the diversity order(s) of Hill numbers.
<code>datatype</code>	type of input data, "abundance", "incidence_raw" or "incidence_freq".

---

Argument	Description
size	an integer vector of sample sizes for which diversity estimates will be computed. If NULL, then diversity estimates will be calculated for those sample sizes determined by the specified/default endpoint and knots.
endpoint	an integer specifying the sample size that is the endpoint for R/E calculation; If NULL, then endpoint=double the reference sample size.
knots	an integer specifying the number of equally-spaced knots between size 1 and the endpoint; default is 40.
se	a logical variable to calculate the bootstrap standard error and <code>conf</code> confidence interval.
conf	a positive number < 1 specifying the level of confidence interval; default is 0.95.
nboot	an integer specifying the number of bootstrap replications; default is 50.

This function returns an "iNEXT" object which can be further used to make plots using the function `ggiNEXT()` to be described below.

## DATA FORMAT/INFORMATION

Three types of data are supported:

1. Individual-based abundance data (`datatype="abundance"`): Input data for each assemblage/site include species abundances in an empirical sample of  $n$  individuals ("reference sample"). When there are  $N$  assemblages, input data consist of an  $S$  by  $N$  abundance matrix, or  $N$  lists of species abundances.
2. Sampling-unit-based incidence data: There are two kinds of input data.
  - a. Incidence-raw data (`datatype="incidence_raw"`): for each assemblage, input data for a reference sample consisting of a species-by-sampling-unit matrix; each element in the raw matrix is 1 for a detection, and 0 otherwise. When there are  $N$  assemblages, input data consist of  $N$  lists of raw matrices, and each matrix is a species-by-sampling-unit matrix.
  - b. Incidence-frequency data (`datatype="incidence_freq"`): input data for each assemblage consist of species sample incidence frequencies (i.e., row sums of the corresponding incidence raw matrix). When there are  $N$  assemblages, input data consist of an  $(S+1)$  by  $N$  matrix, or  $N$  lists of species incidence frequencies. The first entry of each column/list must be the total number of sampling units, followed by the species incidence frequencies.

## RAREFACTION/EXTRAPOLATION VIA EXAMPLES

Four data sets are included in the `iNEXT` package for illustration. There are two abundance data sets: `spider` (list of two vectors) and `bird` (in data.frame format), and two incidence data sets: `ant` (list of 5 vectors) and `ciliates` (list of 3 matrices). The input datatypes are the same for the two abundance data sets (`datatype="abundance"`), but the input datatypes are different for the `ant` data (`datatype="incidence_freq"`) and the `ciliates` data (`datatype="incidence_raw"`). We first use the `spider` data for illustration; see Chao et al. (2014) for analysis details and data interpretations. The `spider` data consist of abundance data from two canopy manipulation treatments ("Girdled" and "Logged") of hemlock trees (Ellison et al. 2010). For these data, the following commands run the `iNEXT()` function for  $q = 0$ .

```
data(spider)
str(spider)
```

```
iNEXT(spider, q=0, datatype="abundance")
```

The `iNEXT()` function returns the "iNEXT" object including three output lists: `$DataInfo` for summarizing data information; `$iNextEst` for showing size- and coverage-based diversity estimates along with related statistics for a series of rarefied and extrapolated samples; and `$AsyEst` for showing asymptotic diversity estimates along with related statistics. `$DataInfo`, as shown below, returns basic data information including the reference sample size ( $n$ ), observed species richness ( $S_{\text{obs}}$ ), sample coverage estimate for the reference sample ( $SC$ ), and the first ten frequency counts ( $f_1$ - $f_{10}$ ). This part of output can also be computed by the function `DataInfo()`

```
$DataInfo: basic data information
  Assemblage   n S.obs      SC f1 f2 f3 f4 f5 f6 f7 f8 f9 f10
1   Girdled 168   26 0.9289 12  4  0  1  0  2  0  1  1  0
2    Logged 252   37 0.9446 14  4  4  3  1  0  3  2  0  1
```

For incidence data, the list `$DataInfo` includes the reference sample size ( $T$ ), observed species richness ( $S_{\text{obs}}$ ), total number of incidences ( $U$ ), sample coverage estimate for the reference sample ( $SC$ ), and the first ten incidence frequency counts ( $Q_1$ - $Q_{10}$ ).

In the Girdled treatment assemblage, by default, 40 equally spaced knots (samples sizes) between 1 and 336 ( $= 2 \times 168$ , double the reference sample size, Chao et al. 2014) are selected. Diversity estimates and related statistics are computed for these 40 knots (corresponding to sample sizes  $m = 1, 10, 19, \dots, 327, 336$ ), which locates the reference sample at the mid-point of the selected knots. If the argument `se=TRUE`, then the bootstrap method is applied to obtain the 95% confidence intervals for each diversity and sample coverage estimate.

The list `$iNextEst` output includes two data frames: `$size_based` and `$coverage_based`. (Note the output in the list `$iNextEst` is different from that obtained from earlier `iNEXT` versions  $< 3.0.0$ , due to a modification in the bootstrap method.) For the sample size corresponding to each knot, the first data frame (as shown under `$size_based`) includes the name of Assemblage, the sample size ( $m$ , i.e., each of the 40 knots), the method (Rarefaction, Observed, or Extrapolation, depending on whether the size  $m$  is less than, equal to, or greater than the reference sample size), the diversity order (`order.q`), the diversity estimate of order  $q$  ( $qD$ ), the 95% lower and upper confidence limits of diversity ( $qD.LCL$ ,  $qD.UCL$ ), and the sample coverage estimate ( $SC$ ) along with the 95% lower and upper confidence limits of sample coverage ( $SC.LCL$ ,  $SC.UCL$ ). These sample coverage estimates with confidence intervals are used for plotting the sample completeness curve.

```
$iNextEst: diversity estimates with rarefied and extrapolated samples.
$size_based (LCL and UCL are obtained for fixed size.)
```

	Assemblage	m	Method	Order.q	qD	qD.LCL	qD.UCL	SC	SC.LCL	SC.UCL
1	Girdled	1	Rarefaction	0	1.000	1.000	1.000	0.122	0.089	0.156
10	Girdled	84	Rarefaction	0	18.912	15.902	21.923	0.900	0.872	0.927
20	Girdled	168	Observed	0	26.000	21.492	30.508	0.929	0.904	0.954
30	Girdled	248	Extrapolation	0	30.883	25.149	36.618	0.948	0.918	0.979
40	Girdled	336	Extrapolation	0	34.731	27.187	42.275	0.964	0.931	0.996
41	Logged	1	Rarefaction	0	1.000	1.000	1.000	0.145	0.109	0.180
50	Logged	126	Rarefaction	0	28.268	24.935	31.600	0.908	0.886	0.930
60	Logged	252	Observed	0	37.000	31.789	42.211	0.945	0.925	0.964
70	Logged	371	Extrapolation	0	42.786	35.844	49.727	0.958	0.935	0.980
80	Logged	504	Extrapolation	0	47.644	38.485	56.804	0.969	0.946	0.991

NOTE: The above output only shows five estimates for each assemblage; call `iNEXT.object$iNextEst$size_based` to view complete output.

The second data frame (as shown under `$coverage_based`) includes the name of Assemblage, the standardized sample coverage ( $SC$ ), the corresponding sample size for the standardized coverage ( $m$ , i.e.,

each of the 40 knots), the method (Rarefaction, Observed, or Extrapolation, depending on whether the sample coverage `SC` is less than, equal to, or greater than the reference sample coverage), the diversity order (`order.q`), the diversity estimate of order  $q$  ( $qD$ ), and the 95% lower and upper confidence limits of diversity ( $qD.LCL$ ,  $qD.UCL$ ). These diversity estimates and confidence intervals are used for plotting the coverage-based R/E curves.

`$coverage_based` (LCL and UCL are obtained for fixed coverage; interval length is wider due to varying size in bootstraps.)

	Assemblage	SC	m	Method	order.q	qD	qD.LCL	qD.UCL
1	Girdled	0.122	1	Rarefaction	0	1.000	0.857	1.143
10	Girdled	0.900	84	Rarefaction	0	18.912	10.761	27.064
20	Girdled	0.929	168	Observed	0	26.000	13.239	38.761
30	Girdled	0.948	248	Extrapolation	0	30.883	12.129	49.638
40	Girdled	0.964	336	Extrapolation	0	34.731	9.788	59.673
41	Logged	0.145	1	Rarefaction	0	1.000	0.796	1.204
50	Logged	0.908	126	Rarefaction	0	28.268	20.192	36.343
60	Logged	0.945	252	Observed	0	37.000	20.209	53.791
70	Logged	0.958	371	Extrapolation	0	42.786	21.977	63.594
80	Logged	0.969	504	Extrapolation	0	47.644	23.357	71.932

NOTE: The above output only shows five estimates for each assemblage; call `iNEXT.object$iNextEst$coverage_based` to view complete output.

In the above output (`$size_based` and `$coverage_based`), the confidence intervals of any standardized diversity are obtained by a bootstrap method. In the size-based standardization, the sample size is fixed in each regenerated bootstrap sample. In the coverage-based standardization, for a given standardized coverage value, the corresponding size needed to attain the same level of coverage may vary with regenerated bootstrap samples. Thus, the sampling uncertainty is greater in the coverage-based standardization and the resulting confidence interval is wider than that in the corresponding size-based standardization. For example, if the size for a future survey will be fixed at a sample size of 84, we can obtain a 95% CI of (15.9, 21.9) for the expected diversity ( $q = 0$ ) based on the first data frame (`$size_based` output). However, if the coverage of a survey is fixed at the level of 0.9, the size needed for the current data is 84, but the size needed for a regenerated bootstrap sample may be different from 84; the second data frame (`$coverage_based` output) shows a CI of (10.8, 27.1), which is wider than the former one based on a size of 84. Because we use a random bootstrapping/regeneration process, with 50 replications (default), to obtain each CI, the output for  $qD.LCL$  and  $qD.UCL$  may vary slightly each time you enter the same data.

`$AsyEst` lists the name of Assemblage, the Diversity (species richness for  $q = 0$ , Shannon diversity for  $q = 1$ , and Simpson diversity for  $q = 2$ ), the observed diversity (Observed), the asymptotic diversity estimate (Estimator), the s.e. of the asymptotic estimator (s.e.) and the associated 95% lower and upper confidence limits (LCL, UCL). The estimated asymptotes are calculated via the functions `ChaoRichness()` for  $q = 0$ , `ChaoShannon()` for  $q = 1$  and `ChaoSimpson()` for  $q = 2$ ; see Chao et al. (2014) for the formulas of all asymptotic estimators. The output for the spider data is shown below.

`$AsyEst`: asymptotic diversity estimates along with related statistics.

	Assemblage	Diversity	Observed	Estimator	s.e.	LCL	UCL
1	Girdled	Species richness	26.000	43.893	17.219	26.000	77.642
2	Girdled	Shannon diversity	12.060	13.826	1.339	11.201	16.451
3	Girdled	Simpson diversity	7.840	8.175	0.934	6.344	10.006
4	Logged	Species richness	37.000	61.403	19.692	37.000	99.998
5	Logged	Shannon diversity	14.421	16.337	1.864	12.684	19.990
6	Logged	Simpson diversity	6.761	6.920	0.926	5.106	8.734

The user may specify an integer sample size for the argument `endpoint` to designate the maximum sample size of R/E calculation. For species richness, the extrapolation method is reliable up to double the reference sample size; beyond that, the prediction bias may be large. However, for measures of  $q = 1$  and  $2$ , the extrapolation can usually be safely extended to the asymptote if data are not sparse; thus there is no limit for the value of the `endpoint` for these two measures.

The user may also specify the number of `knots` in the sample size range between 1 and the endpoint. If you choose a large number of knots, then it may take a long time to obtain the output due to the time-consuming nature of the bootstrap method. Alternatively, the user may specify a series of sample sizes for R/E computation, as in the following example:

```
# set a series of sample sizes (m) for R/E computation
m <- c(1, 5, 20, 50, 100, 200, 400)
iNEXT(spider, q=0, datatype="abundance", size=m)
```

Further, `iNEXT` can simultaneously run R/E computation for Hill numbers with  $q = 0, 1$ , and  $2$  by specifying a vector for the argument `q` as follows:

```
out <- iNEXT(spider, q=c(0,1,2), datatype="abundance", size=m)
```

A data.frame input format for abundance-based analysis is also supported:

```
data(bird)
str(bird) # 41 obs. of 2 variables
iNEXT(bird, q=0, datatype="abundance")
```

## GRAPHIC DISPLAYS: FUNCTION `ggiNEXT()`

The function `ggiNEXT()`, which extends `ggplot2` to the "iNEXT" object with default arguments, is described as follows:

```
ggiNEXT(x, type=1, se=TRUE, facet.var="None", color.var="Assemblage", grey=FALSE)
```


Here `x` is an "iNEXT" object. Three types of curves are allowed:

1. Sample-size-based R/E curve (`type=1`): see Figs. 1a and 2a in Hsieh et al. (2016). This curve plots diversity estimates with confidence intervals (if `se=TRUE`) as a function of sample size up to double the reference sample size, by default, or a user-specified `endpoint`.
2. Sample completeness curve (`type=2`) with confidence intervals (if `se=TRUE`): see Figs. 1b and 2b in Hsieh et al. (2016). This curve plots the sample coverage with respect to sample size for the same range described in (1).
3. Coverage-based R/E curve (`type=3`): see Figs. 1c and 2c in Hsieh et al. (2016). This curve plots the diversity estimates with confidence intervals (if `se=TRUE`) as a function of sample coverage up to the maximum coverage obtained from the maximum size described in (1).

The `ggiNEXT()` function is a wrapper around the `ggplot2` package to create a R/E curve using a single line of code. The resulting object is of class "ggplot", so it can be manipulated using the `ggplot2` tools. The argument `facet.var=( "None", "Order.q", "Assemblage" or "Both" )` can be used to create a separate plot for each value of the specified variable. See the following examples.


The argument `facet.var="Assemblage"` in the `ggiNEXT` function creates a separate plot for each assemblage as shown below:

```
# Sample-size-based R/E curves, separating by "Assemblage"
out <- iNEXT(spider, q=c(0, 1, 2), datatype="abundance", endpoint=500)
ggiNEXT(out, type=1, facet.var="Assemblage")
```



The argument `facet.var="Order.q"` and `color.var="Assemblage"` creates a separate plot for each diversity order assemblage, and within each plot, different colors are used for the two assemblages.


```
ggiNEXT(out, type=1, facet.var="Order.q", color.var="Assemblage")
```



The following commands return the sample completeness curve in which different colors are used for the two assemblages:


```
ggiNEXT(out, type=2, facet.var="None", color.var="Assemblage")
```






The following commands return the coverage-based R/E sampling curves in which different colors are used for the two assemblages (`facet.var="Assemblage"`) and for three orders (`facet.var="Order.q"`)

```
ggiNEXT(out, type=3, facet.var="Assemblage")
```



```
ggiNEXT(out, type=3, facet.var="Order.q", color.var="Assemblage")
```



## INCIDENCE DATA with datatype="incidence\_freq"

---


For illustration, we use the tropical ant data (in the dataset `ant` included in the package) at five elevations (50m, 500m, 1070m, 1500m, and 2000m) collected by Longino & Colwell (2011) from Costa Rica. The 5 lists of incidence frequencies are shown below. The first entry of each list must be the total number of sampling units, followed by the species incidence frequencies.

```
data(ant)
str(ant)
List of 5
 $ h50m   : num [1:228] 599 330 263 236 222 195 186 183 182 129 ...
 $ h500m  : num [1:242] 230 133 131 123 78 73 65 60 60 56 ...
 $ h1070m : num [1:123] 150 99 96 80 74 68 60 54 46 45 ...
 $ h1500m : num [1:57] 200 144 113 79 76 74 73 53 50 43 ...
 $ h2000m : num [1:15] 200 80 59 34 23 19 15 13 8 8 ...
```

The argument `color.var = ("None", "Order.q", "Assemblage" or "Both")` is used to display curves in different colors for values of the specified variable. For example, the following code using the argument `color.var="Assemblage"` displays the sampling curves in different colors for the five assemblages. Note that `theme_bw()` is a `ggplot2` function to modify the display setting from a grey to a white background with black gridlines. The following commands return three types of R/E sampling curves for the `ant` data.


```
t <- seq(1, 700, by=10)
out.inc <- iNEXT(ant, q=0, datatype="incidence_freq", size=t)

# Sample-size-based R/E curves
ggiNEXT(out.inc, type=1, color.var="Assemblage") +
  theme_bw(base_size = 18) +
  theme(legend.position="None")
```




*# Sample completeness curves*

```
ggiNEXT(out.inc, type=2, color.var="Assemblage") +
  ylim(c(0.9,1)) +
  theme_bw(base_size = 18) +
  theme(legend.position="None")
```



```
# Coverage-based R/E curves
ggiNEXT(out.inc, type=3, color.var = "Assemblage") +
  xlim(c(0.9,1)) +
  theme_bw(base_size = 18) +
  theme(legend.position="bottom",
        legend.title=element_blank(),
        text=element_text(size=18),
        legend.box = "vertical")
```



## INCIDENCE DATA with datatype="incidence\_raw"

We use the `ciliates` data collected from three coastal dune habitats to demonstrate the use of the input `datatype="incidence_raw"`. The data set (`ciliates`) included in the package is a list of three species-by-plots matrices. Run the following commands to get the output as shown below.

```
data(ciliates)
str(ciliates)
List of 3
 $ EtoshaPan          : int [1:365, 1:19] 0 0 0 0 0 0 0 0 0 0 ...
  ..- attr(*, "dimnames")=List of 2
  .. ..$ : chr [1:365] "Acaryophrya.collaris" "Actinobolina.multinucleata.n..sp."
           "Afroamphisiella.multinucleata.n..sp." "Afrothrix.multinucleata.n..sp." ...
  .. ..$ : chr [1:19] "x53" "x54" "x55" "x56" ...
 $ CentralNamibDesert : int [1:365, 1:17] 0 0 0 0 0 1 0 0 0 0 ...
  ..- attr(*, "dimnames")=List of 2
  .. ..$ : chr [1:365] "Acaryophrya.collaris" "Actinobolina.multinucleata.n..sp."
           "Afroamphisiella.multinucleata.n..sp." "Afrothrix.multinucleata.n..sp." ...
  .. ..$ : chr [1:17] "x31" "x32" "x34" "x35" ...
 $ SouthernNamibDesert: int [1:365, 1:15] 0 0 0 0 0 0 0 0 0 0 ...
  ..- attr(*, "dimnames")=List of 2
  .. ..$ : chr [1:365] "Acaryophrya.collaris" "Actinobolina.multinucleata.n..sp."
           "Afroamphisiella.multinucleata.n..sp." "Afrothrix.multinucleata.n..sp." ...
  .. ..$ : chr [1:15] "x9" "x17" "x19" "x20" ...
```

```
out.raw <- iNEXT(ciliates, q = 0, datatype="incidence_raw", endpoint=150)
out.raw
```

```
# ggiNEXT(out.raw)
```

```
Compare 3 assemblages with Hill number order q = 0.
```

```
$class: iNEXT
```

```
$DataInfo: basic data information
```

	Assemblage	T	U	S.obs	SC	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10
1	EtoshaPan	19	516	216	0.8017	107	44	26	14	6	5	4	3	2	2
2	CentralNamibDesert	17	379	130	0.8425	63	28	13	4	3	7	1	2	1	0
3	SouthernNamibDesert	15	358	150	0.7816	82	28	14	8	6	1	1	2	2	1

```
$iNextEst: diversity estimates with rarefied and extrapolated samples.
```

```
$size_based (LCL and UCL are obtained for fixed size.)
```

	Assemblage	t	Method	Order.q	qD	qD.LCL	qD.UCL	SC	SC.LCL	SC.UCL
1	EtoshaPan	1	Rarefaction	0	27.158	24.893	29.423	0.190	0.164	0.216
10	EtoshaPan	10	Rarefaction	0	153.260	141.984	164.536	0.680	0.644	0.716
20	EtoshaPan	20	Extrapolation	0	221.386	203.508	239.263	0.810	0.778	0.843
30	EtoshaPan	88	Extrapolation	0	333.606	291.244	375.967	0.991	0.985	0.997
39	EtoshaPan	150	Extrapolation	0	338.901	293.346	384.456	0.999	0.999	1.000
40	CentralNamibDesert	1	Rarefaction	0	22.294	20.579	24.009	0.374	0.340	0.408
49	CentralNamibDesert	10	Rarefaction	0	98.993	90.442	107.545	0.764	0.736	0.791
58	CentralNamibDesert	24	Extrapolation	0	151.018	135.480	166.557	0.892	0.856	0.929
67	CentralNamibDesert	87	Extrapolation	0	195.191	156.456	233.925	0.996	0.990	1.000
76	CentralNamibDesert	150	Extrapolation	0	196.656	154.935	238.377	1.000	0.999	1.000
77	SouthernNamibDesert	1	Rarefaction	0	23.867	21.566	26.167	0.282	0.245	0.319
85	SouthernNamibDesert	9	Rarefaction	0	112.485	103.115	121.854	0.699	0.657	0.741
94	SouthernNamibDesert	30	Extrapolation	0	207.213	185.149	229.276	0.893	0.846	0.940
103	SouthernNamibDesert	93	Extrapolation	0	259.337	209.899	308.776	0.995	0.988	1.000
111	SouthernNamibDesert	150	Extrapolation	0	261.886	209.174	314.598	1.000	0.999	1.000

NOTE: The above output only shows five estimates for each assemblage; call `iNEXT.object$iNextEst$size_based` to view complete output.

```
$coverage_based (LCL and UCL are obtained for fixed coverage; interval length is wider due to varying size in bootstraps.)
```

	Assemblage	SC	t	Method	Order.q	qD	qD.LCL	qD.UCL
1	EtoshaPan	0.1901402	1	Rarefaction	0	27.158	24.894	29.422
10	EtoshaPan	0.6799226	10	Rarefaction	0	153.260	135.451	171.069
20	EtoshaPan	0.8103610	20	Extrapolation	0	221.386	194.992	247.779
30	EtoshaPan	0.9909111	88	Extrapolation	0	333.606	288.842	378.369
39	EtoshaPan	0.9994305	150	Extrapolation	0	338.901	293.087	384.715
40	CentralNamibDesert	0.3743404	1	Rarefaction	0	22.294	20.572	24.016
49	CentralNamibDesert	0.7635124	10	Rarefaction	0	98.993	86.617	111.369
58	CentralNamibDesert	0.8921419	24	Extrapolation	0	151.018	125.356	176.681
67	CentralNamibDesert	0.9964228	87	Extrapolation	0	195.191	153.805	236.576
76	CentralNamibDesert	0.9998814	150	Extrapolation	0	196.656	154.657	238.655
77	SouthernNamibDesert	0.2821229	1	Rarefaction	0	23.867	21.581	26.152
85	SouthernNamibDesert	0.6993084	9	Rarefaction	0	112.484	97.518	127.451
94	SouthernNamibDesert	0.8931001	30	Extrapolation	0	207.213	171.199	243.227
103	SouthernNamibDesert	0.9946808	93	Extrapolation	0	259.337	207.038	311.636
111	SouthernNamibDesert	0.9996478	150	Extrapolation	0	261.886	208.751	315.021

NOTE: The above output only shows five estimates for each assemblage; call `iNEXT.object$iNextEst$coverage_based` to view complete output.

`$AsyEst`: asymptotic diversity estimates along with related statistics.

	Assemblage	Diversity	Observed	Estimator	s.e.	LCL	UCL
1	CentralNamibDesert	Species richness	130.000	196.706	19.523	158.441	234.971
2	CentralNamibDesert	Shannon diversity	81.812	106.480	5.291	96.110	116.850
3	CentralNamibDesert	Simpson diversity	54.225	59.556	3.175	53.333	65.778
4	EtoshaPan	Species richness	216.000	339.255	23.121	293.938	384.571
5	EtoshaPan	Shannon diversity	158.367	222.936	11.125	201.130	244.741
6	EtoshaPan	Simpson diversity	116.677	142.833	8.700	125.780	159.885
7	SouthernNamibDesert	Species richness	150.000	262.067	30.638	202.018	322.115
8	SouthernNamibDesert	Shannon diversity	103.705	149.910	9.301	131.681	168.139
9	SouthernNamibDesert	Simpson diversity	72.327	84.597	5.276	74.255	94.938

## POINT ESTIMATION FUNCTION: `estimatedD()`

We also supply the following function

```
estimatedD(x, datatype="abundance", base="size", level=NULL)
```

to compute diversity estimates with  $q = 0, 1, 2$  for any particular level of sample size (`base="size"`) or any specified level of sample coverage (`base="coverage"`) for abundance data (`datatype="abundance"`) or incidence data (`datatype="incidence_freq"` or `"incidence_raw"`). If `base="size"` and `level=NULL`, then this function computes the diversity estimates for the minimum among all doubled reference sample sizes. If `base="coverage"` and `level=NULL`, then this function computes the diversity estimates for the minimum among the coverage values for samples extrapolated to double the size of the reference sample.

The following command returns the species diversity with a specified level of sample coverage of 98.5% for the ant data. For some assemblages, this coverage value corresponds to rarefaction (i.e., less than the coverage of the reference sample), while for the others it corresponds to extrapolation (i.e., greater than the coverage of the reference sample), as indicated under the `method` column of the output.

```
estimatedD(ant, datatype="incidence_freq",
           base="coverage", level=0.985, conf=0.95)
```

	Assemblage	t	Method	Order.q	SC	qD	qD.LCL	qD.UCL
1	h50m	327.165	Rarefaction	0	0.985	197.488	186.058	208.918
2	h50m	327.165	Rarefaction	1	0.985	78.053	75.389	80.717
3	h50m	327.165	Rarefaction	2	0.985	50.461	48.640	52.282
4	h500m	342.859	Extrapolation	0	0.985	268.726	242.802	294.650
5	h500m	342.859	Extrapolation	1	0.985	103.847	100.256	107.438
6	h500m	342.859	Extrapolation	2	0.985	64.758	61.983	67.534
7	h1070m	158.951	Extrapolation	0	0.985	123.609	113.000	134.218
8	h1070m	158.951	Extrapolation	1	0.985	59.592	56.903	62.280
9	h1070m	158.951	Extrapolation	2	0.985	41.775	39.465	44.085
10	h1500m	125.959	Rarefaction	0	0.985	50.479	41.666	59.291
11	h1500m	125.959	Rarefaction	1	0.985	26.249	24.575	27.923
12	h1500m	125.959	Rarefaction	2	0.985	18.649	17.446	19.852
13	h2000m	104.631	Rarefaction	0	0.985	12.910	11.002	14.817
14	h2000m	104.631	Rarefaction	1	0.985	7.711	6.915	8.506
15	h2000m	104.631	Rarefaction	2	0.985	5.795	5.079	6.510




## Hacking ggiNEXT()

The `ggiNEXT()` function is a wrapper around the `ggplot2` package to create a R/E curve using a single line of code. The resulting object is of class "ggplot", so it can be manipulated using the `ggplot2` tools. The following are some useful examples for customizing graphs.


### Remove legend

```
ggiNEXT(out, type=3, facet.var="Assemblage") +  
  theme(legend.position="None")
```




### Change the theme and legend.position

```
ggiNEXT(out, type=1, facet.var="Assemblage") +  
  theme_bw(base_size = 18) +  
  theme(legend.position="right")
```




## Display black-white figures

```
ggiNEXT(out, type=1, facet.var="Order.q", grey=TRUE)
```




### Free the scales of the axis

```
ggiNEXT(out, type=1, facet.var="Order.q") +
  facet_wrap(~Order.q, scales="free")
```



change the shape of the reference sample point

```
ggiNEXT(out, type=1, facet.var="Assemblage") +
  scale_shape_manual(values=c(19,19,19))
```



## General customization


The data visualization package `ggplot2` provides the `scale_` function to customize data which is mapped into an aesthetic property of a `geom_`. The following functions would help user to customize `ggiNEXT` output.

- change point shape: `scale_shape_manual`
  - change line type : `scale_linetype_manual`
  - change line color: `scale_colour_manual`
  - change band color: `scale_fill_manual`
- see [quick reference](#) for style setting.

## Example: spider data


To show how to custmize `ggiNEXT` output, we use abundance-based data `spider` as an example.

```
library(iNEXT)
library(ggplot2)
library(gridExtra)
library(grid)
data("spider")
out <- iNEXT(spider, q=0, datatype="abundance")
g <- ggiNEXT(out, type=1, color.var = "Assemblage")
g
```



## Change shapes, line types and colors

```
g1 <- g + scale_shape_manual(values=c(11, 12)) +
  scale_linetype_manual(values=c(1,2)) +
  theme(legend.text = element_text(size = 9.5))
g2 <- g + scale_colour_manual(values=c("red", "blue")) +
  scale_fill_manual(values=c("red", "blue")) +
  theme(legend.text = element_text(size = 9.5))
# Draw multiple graphical object on a page
# library(gridExtra)
grid.arrange(g1, g2, ncol=2)
```



## Customize point/line size by hacking

In order to change the size of the reference sample point or rarefaction/extrapolation curve, the user need to modify the `ggplot` object.


- change point size:  
the reference sample size point is drawn on the first layer by `ggiNEXT`. Hack the point size by the following

```
# point is drawn on the 1st layer, default size is 5
gb3 <- ggplot_build(g + theme(legend.text = element_text(size = 9.5)))
gb3$data[[1]]$size <- 10
gt3 <- ggplot_gtable(gb3)
# use grid.draw to draw the graphical object
# library(grid)
# grid.draw(gt3)
```

- change line width (size):  
the reference sample size point is drawn on the second layer by `ggiNEXT`. Hack the point size by the following

```
# line is drawn on the 2nd layer, default size is 1.5
gb4 <- ggplot_build(g + theme(legend.text = element_text(size = 9.5)))
gb4$data[[2]]$size <- 3
gt4 <- ggplot_gtable(gb4)
# grid.draw(gt4)
```

```
grid.arrange(gt3, gt4, ncol=2)
```




## Customize theme


A `ggplot` object can be themed by adding a theme. The User could run `help(theme_grey)` to show the default themes in `ggplot2`. Further, some extra themes are provided by the `ggthemes` package. Examples are shown in the following:

```
g5 <- g + theme_bw() + theme(legend.position = "bottom", legend.box = "vertical")
g6 <- g + theme_classic() + theme(legend.position = "bottom", legend.box = "vertical")
grid.arrange(g5, g6, ncol=2)
```






```
library(ggthemes)
g7 <- g + theme_hc(bgcolor = "darkunica") +
  theme(legend.box = "vertical",
        legend.text = element_text(size = 12)) +
  scale_colour_hc("darkunica")
g8 <- g + theme_economist() +
  theme(legend.position="bottom",
        legend.box = "vertical",
        legend.text = element_text(size = 13)) +
  scale_colour_economist()
grid.arrange(g7, g8, ncol=2)
```



## Black-White figures

The following are customized themes for black-white figures. To modify the legend, see [Cookbook for R](#) for more details.

```
g9 <- g + theme_bw(base_size = 18) +
  scale_fill_grey(start = 0, end = .4) +
  scale_colour_grey(start = .2, end = .2) +
  theme(legend.position="bottom",
        legend.title=element_blank(),
        legend.box = "vertical")
g10 <- g + theme_tufte(base_size = 12) +
  scale_fill_grey(start = 0, end = .4) +
  scale_colour_grey(start = .2, end = .2) +
  theme(legend.position="bottom",
        legend.title=element_blank(),
        legend.box = "vertical")
grid.arrange(g9, g10, ncol=2)
```




## Draw R/E curves by yourself

In [iNEXT](#), we provide a S3 `ggplot2::fortify` method for class `iNEXT`. The function `fortify` offers a single plotting interface for rarefaction/extrapolation curves. Set argument `type = 1, 2, 3` to plot the corresponding rarefaction/extrapolation curves.

```
df <- fortify(out, type=1)
head(df)
  datatype plottype Assemblage      Method Order.q  x      y      y.lwr      y.upr
1 abundance      1    Girdled Rarefaction      0  1  1.000000  1.000000  1.00000
2 abundance      1    Girdled Rarefaction      0 10  6.478617  5.983295  6.97394
3 abundance      1    Girdled Rarefaction      0 19  9.450323  8.530705 10.36994
4 abundance      1    Girdled Rarefaction      0 28 11.514220 10.253775 12.77466
5 abundance      1    Girdled Rarefaction      0 37 13.126817 11.575192 14.67844
6 abundance      1    Girdled Rarefaction      0 47 14.622424 12.778255 16.46659
df.point <- df[which(df$Method=="Observed"),]
df.line <- df[which(df$Method!="Observed"),]
df.line$Method <- factor(df.line$Method,
                        c("Rarefaction", "Extrapolation"),
                        c("Rarefaction", "Extrapolation"))

ggplot(df, aes(x=x, y=y, colour=Assemblage)) +
  geom_point(aes(shape=Assemblage), size=5, data=df.point) +
  geom_line(aes(linetype=Method), lwd=1.5, data=df.line) +
  geom_ribbon(aes(ymin=y.lwr, ymax=y.upr,
                fill=Assemblage, colour=NULL), alpha=0.2) +
  labs(x="Number of individuals", y="Species diversity") +
```

```
theme(legend.position = "bottom",
      legend.title=element_blank(),
      text=element_text(size=18),
      legend.box = "vertical")
```



## License

The iNEXT package is licensed under the GPLv3. To help refine iNEXT, your comments or feedback would be welcome (please send them to Anne Chao or report an issue on the iNEXT github [iNEXT\\_github](https://github.com/iNEXT)).

## References

- Chao, A., Gotelli, N.J., Hsieh, T.C., Sander, E.L., Ma, K.H., Colwell, R.K. & Ellison, A.M. (2014) Rarefaction and extrapolation with Hill numbers: a framework for sampling and estimation in species diversity studies. *Ecological Monographs*, 84, 45–67.
- Chao, A. & Jost, L. (2012) Coverage-based rarefaction and extrapolation: standardizing samples by completeness rather than size. *Ecology*, 93, 2533–2547.
- Colwell, R.K., Chao, A., Gotelli, N.J., Lin, S.-Y., Mao, C.X., Chazdon, R.L. & Longino, J.T. (2012) Models and estimators linking individual-based and sample-based rarefaction, extrapolation and comparison of assemblages. *Journal of Plant Ecology*, 5, 3–21.
- Ellison, A.M., Barker-Plotkin, A.A., Foster, D.R. & Orwig, D.A. (2010) Experimentally testing the role of foundation species in forests: the Harvard Forest Hemlock Removal Experiment. *Methods in Ecology and Evolution*, 1, 168–179.
- Hsieh, T.C., Ma, K.H. & Chao, A. (2016) iNEXT: An R package for interpolation and extrapolation of species diversity (Hill numbers). *Methods in Ecology and Evolution*, 7, 1451–1456.

- Longino, J.T. & Colwell, R.K. (2011) Density compensation, species composition, and richness of ants on a neotropical elevational gradient. *Ecosphere*, 2:art29.