

Package ‘ampd’

October 12, 2022

Title An Algorithm for Automatic Peak Detection in Noisy Periodic and Quasi-Periodic Signals

Version 0.2

Author Felix Scholkmann <felix.scholkmann@gmail.com>

Maintainer Oliver Sieber <oliver.sieber@gmail.com>

Description A method for automatic detection of peaks in noisy periodic and quasi-periodic signals. This method, called automatic multiscale-based peak detection (AMPD), is based on the calculation and analysis of the local maxima scalogram, a matrix comprising the scale-dependent occurrences of local maxima. For further information see <[doi:10.3390/a5040588](https://doi.org/10.3390/a5040588)>.

Depends R (>= 3.2.0)

License GPL

Encoding UTF-8

LazyData true

RoxygenNote 5.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2016-12-11 16:37:19

R topics documented:

AMPD	2
Index	4

AMPD

*AMPD***Description**

Implementation of the automatic multiscale-based peak detection (AMPD) algorithm. AMPD enables to detect peaks in noisy periodic and quasi-periodic signals

Usage

```
AMPD(data, L = NaN, extended = FALSE, splitting = FALSE,
      splittingSize = NaN)
```

Arguments

<code>data</code>	list containing noisy data with quasi-periodic distribution of local maxima
<code>L</code> ,	maximum number of scales (corresponding to the maximum width of the window used)
<code>extended</code>	default FALSE, if TRUE it uses an optimized algorithm, which is capable to detect Maxima at the beginning and/or the end of the data. This was a bottleneck for the old algorithm. FALSE uses the traditional method.
<code>splitting</code>	default FALSE, splits the data vector to achieve better computation performance. However, with this option, no other parameter than the positions of the maxima will be returned
<code>splittingSize</code>	default NaN, it is recommended to specify a splitting size, otherwise a splitting size of 5000 is used. The splitting size is adapted anyway, so that at least 10 local maxima are included.

Value

A list with different variables: LMS (`$LMS`), rescaled LMS (`$rLMS`), position of global minimum of the row-wise summation of LMS (`$minLoc`), position of maxima (`$maximaLoc`). Note that for big data vectors, only the positions of the local maxima will be returned. The others remain empty.

References

Scholkmann et al. (2012). An Efficient Algorithm for Automatic Peak Detection in Noisy Periodic and Quasi-Periodic Signals. *Algorithms*, 5 (4), 588-603 <http://www.mdpi.com/1999-4893/5/4/588>

Examples

```
t = seq(0,2,0.005)
data = sin(25*t)*sin(0.3*t)+0.4*t
dataNoise = jitter(data,1000)
result = AMPD(dataNoise)
result2 = AMPD(dataNoise, extended=TRUE)
par(mfrow=c(1,2))
```

```
plot(dataNoise, main="traditional algorithm", type="l")
points(result$maximaLoc, dataNoise[result$maximaLoc],col="red")
plot(dataNoise, main="extended algorithm", type="l")
points(result2$maximaLoc, dataNoise[result2$maximaLoc],col="red")
```

Index

* **detection**

AMPD, [2](#)

* **peak**

AMPD, [2](#)

AMPD, [2](#)